

DURITE RANGE OF LED LIGHTING

200 PRODUCTS & ALL OUR LATEST ADDITIONS INCLUDED



*All Durite LED Lights come with 3-yr warranty; excludes defects caused by normal wear and tear.

THE TRUSTED QUALITY BRAND FOR PROFESSIONALS

+44 (0) 1255 555200 | +44 (0) 1255 555222
sales@durite.co.uk | www.durite.co.uk

Follow us @DuriteLimited



LOGISTICS UK



LED WORK LAMPS

NEW RANGE

NEW

R10 ADR* LED WORK LAMPS



R10 electromagnetic compatibility
ADR unit is sealed & intrinsically safe

- ✓ 27W
- ✓ 2430Lm
- ✓ IP67/IP69K



Part no. 0-421-21

- ✓ 27W
- ✓ 2430Lm
- ✓ IP67/IP69K



Part no. 0-421-20

- ✓ 48W
- ✓ 4320Lm
- ✓ IP67/IP69K
- ✓ Approved for reversing



DT CONNECTOR

Part no. 0-421-22

- ✓ 24W
- ✓ 2160Lm
- ✓ IP67/IP69K
- ✓ Approved for reversing



DT CONNECTOR

Part no. 0-421-25

GREAT VALUE LED WORK LAMPS - 12/24V



18W, IP67, 1170Lm
6-LED work lamp
Part no. 0-420-45



15W, IP67, 975Lm
5-LED work lamp
Part no. 0-420-44



27W, IP67, 1700Lm
9-LED work lamp
Part no. 0-420-47



27W, IP67, 1700Lm
9-LED work lamp
Part no. 0-420-46

CREE LED work lamp light bar



- ✓ 12/24V
- ✓ IP67
- ✓ Up to 6080Lm

8 CREE LED bar Part no. 0-420-88
16 CREE LED bar Part no. 0-420-89

Super powerful 2500Lm hive lens work lamps



- ✓ 2150Lm
- ✓ 24W

Part no. 0-420-35



- ✓ 2500Lm
- ✓ 30W

Part no. 0-420-34
With switch
Part no. 0-420-04

Super bright COB LED work lamps



- ✓ 12/24V
- ✓ 4500Lm
- ✓ IP69K

Square | Part no. 0-420-86
Round | Part no. 0-420-87



Universal OSRAM LED work lamp



90° BRACKET FOR FIXING
HORIZONTAL OR VERTICAL



- ✓ 15W
- ✓ IP69K
- ✓ 1900Lm

Part no. 0-420-70

Powerful OSRAM LED heavy-duty work lamp



- ✓ 80W
- ✓ 10-30V
- ✓ IP68/IP69K
- ✓ 8800Lm

Part no. 0-420-32

Small & powerful CREE LED work lamp



- ✓ 90W
- ✓ 10-40V
- ✓ IP67
- ✓ 7050Lm

Part no. 0-420-82

Flood beam LED work lamp



- ✓ 27W
- ✓ 12/24V
- ✓ IP67
- ✓ 2150Lm

Part no. 0-420-66

Compact LED work lamp



- ✓ 18W
- ✓ 10-40V
- ✓ IP68
- ✓ 1500Lm
- ✓ L 76 x W 42 x D 90mm

Part no. 0-420-78

LED REVERSING WORK LAMPS

- ✓ 9-32V
- ✓ Square or round
- ✓ E-Marked R10 & approved for reversing - R23
- ✓ Protected to IP68



0-420-02
900LM



0-420-06
900LM



0-420-03
1200LM



0-420-07
1200LM

"ULTIMATE LIGHT DISTRIBUTION"



DID YOU KNOW?

*ADR approval shows the unit is sealed & intrinsically safe and ideal for vehicles transporting dangerous goods. E-Marks guarantee that automotive lighting complies with European vehicle legislation.

R10 DUAL FUNCTION LED WORK LAMPS

R10 R65 R10 electromagnetic compatibility R65 special warning lamps

NEW



- ✓ 12/24V
- ✓ 4000Lm
- ✓ IP67/IP69K

Part no. 0-420-08



- ✓ 12/24V
- ✓ 4000Lm
- ✓ IP67/IP69K

Part no. 0-420-09



- ✓ 12/24V
- ✓ 6431Lm
- ✓ IP67/IP69K

Part no. 0-420-11

Oval work lamp with DT connector

- ✓ 8 x 3W CREE LEDs
- ✓ 1680Lm
- ✓ IP68
- ✓ With DT connector



NEW

Part no. 0-420-18

Part no. 0-420-19

Rechargeable LED work lamp

- ✓ 15W
- ✓ IP65
- ✓ 1000Lm

Part no. 0-541-31



LED 360° swivel work lamp

- ✓ 45W
- ✓ IP69K, resists pressure wash
- ✓ 4950Lm

Part no. 0-420-37



120W Road legal LED driving work lamp bar with DRL

- ✓ 10-30V
- ✓ 12,000Lm
- ✓ With 3-pin DT connector
- ✓ Daytime running light (DRL)
- ✓ E-Marked R112, R148, R149 & R10

Part no. 0-420-16



L 542 x W 83.5 x H 112.4 mm

COMPACT RANGE

10W, IP68, 800Lm

CREE LED work lamp
Flood - Part no. 0-420-22
Spot - Part no. 0-420-23



10W, IP68, 800Lm

CREE LED work lamp
Flood - Part no. 0-420-24
Spot - Part no. 0-420-25



20W, IP68, 1600Lm

OSRAM LED work lamp
Flood - Part no. 0-420-26



30W, IP68, 2400Lm

OSRAM LED work lamp
Flood - Part no. 0-420-27



30W, IP68, 2000Lm

CREE LED work lamp
Flood - Part no. 0-420-30



40W, IP68, 3200Lm

OSRAM LED work lamp
Flood - Part no. 0-420-74



30W, IP68, 2000Lm

CREE LED work lamp
Flood - Part no. 0-420-31



9" LED driving lamp with DRL

- ✓ 65W, 6400Lm
- ✓ DT connector
- ✓ Daytime running light (DRL)
- ✓ E-Marked R112, R87 & R10

Part no. 0-420-29



9" LED driving lamp with high beam & position beam

- ✓ 60W, 6000Lm
- ✓ DT connector
- ✓ E-Marked R112, R7 & R10

Part no. 0-420-28



61W LED Driving lamp with DT connector

- ✓ 61W
- ✓ 6920Lm
- ✓ IP67/IP69K
- ✓ E-Marked R112 & R10 EMC

Part no. 0-420-13

NEW



NEW

15W LED Flood work lamp with amber warning

- ✓ 15W
- ✓ 1325Lm
- ✓ IP67/IP69K
- ✓ E-Marked R10 EMC

Part no. 0-420-15

15W LED Flood work lamp with amber warning

- ✓ 12/24V
- ✓ 10,080Lm
- ✓ IP68/IP69K
- ✓ E-Marked R7, R112, R65 & R10

Part no. 0-420-17

NEW



R7 White position light



Double flash R65 amber warning function



LED BEACONS

LOW PROFILE AMBER LED BEACONS

- ✓ 10-30V
- ✓ 3 Flash patterns
- ✓ Protected to IP65



NEW



Part no. 0-445-36

Part no. 0-445-54

GREAT VALUE R10 AMBER & GREEN LED BEACONS

- ✓ Dual voltage 12/24V
- ✓ 3 Flash patterns
- ✓ Protected to IP55
- ✓ E-Marked R10 EMC approved



Approved



3-bolt

- 0-445-08
- 4-445-08

Flexi-DIN

- 0-445-24
- 4-445-24

Magnetic

- 0-445-60
- 4-445-60

Single bolt

- 0-445-06
- 4-445-06

MAGNETIC RECHARGEABLE LED BEACON WITH REMOTE CONTROL

- ✓ Wireless control up to 25m
- ✓ 3 Flash patterns
- ✓ Protected to IP65



Part no. 0-445-14

RECHARGEABLE LED MAGNETIC BEACON

- ✓ Rotating flash 125RPM
- ✓ Magnetic mount
- ✓ Protected to IP56



Part no. 0-445-15

MINI AMBER LED BEACON

- ✓ 12-110V
- ✓ Protected to IP65
- ✓ 45 Quad flash per min



Part no. 0-445-75

R65 LOW PROFILE LED MAGNETIC BEACON

- ✓ 12/24V
- ✓ 13 Flash patterns
- ✓ Protected to IP65

NEW



Part no. 0-445-10

LIGHT BARS



ECE R10 EMC to ensure no interference with vehicle electrics
ECE R65 recommended for the use of warning lights on the road

R65 AMBER LED LIGHT BARS - 12/24V

- ✓ 360° bright light output
- ✓ 10 Flash patterns
- ✓ 1-bolt, 4-bolt or magnetic fixing
- ✓ E-Marked, ECE R10 EMC and R65 approved



Approved




4-bolt
Part no. 0-443-44

1-bolt
Part no. 0-443-46

Magnetic
Part no. 0-443-45

4-bolt | Part no. 0-443-40



4-bolt | Part no. 0-443-41



4-bolt | Part no. 0-443-42



4-bolt | Part no. 0-443-43



R65 AMBER LENS LED LIGHT BARS

- ✓ 12/24V
- ✓ 2ft or 4ft
- ✓ 360° bright light output
- ✓ 10 Flash patterns
- ✓ E-Marked R10 and R65




Approved



2FT (760MM), 4-BOLT AMBER LENS
PART NO. 0-443-48


4FT (1200MM), 4-BOLT AMBER LENS
PART NO. 0-443-49

R10 4FT LED LIGHT BAR - 12/24V STOP/TAIL/DIRECTION INDICATOR



- ✓ 136 SMD LEDs, 76W
- ✓ 4-Bolt mount
- ✓ Waterproof IP67
- ✓ E-Marked R10 EMC, R6, R7 approved

Part no. 0-443-51



Direction indicator



Stop/Tail

R65 & R10 AMBER LED BEACONS

- ✓ 45 LEDs
- ✓ 3 Flash patterns
- ✓ Protected to IP56
- ✓ E-Marked, R10 EMC, R65 approved



Approved

- | | |
|---|--------------------------------------|
| Single bolt Part no. 0-444-41 | 3-bolt Part no. 0-444-43 |
| Flexi-DIN Part no. 0-444-59 | Magnetic Part no. 0-444-85 |



Multiple coloured lens available visit durite.co.uk

R65 LED SINGLE BOLT BEACON



Approved

- ✓ 12/24V
- ✓ 132 Flashes per minute
- ✓ Protected to IP56
- ✓ E-Marked R65 & R10 EMC



R65 Single Bolt
Part no. 0-445-16



CLEAR LENS AMBER LED BEACON



Approved



- ✓ 10-30V
- ✓ 3 Flash patterns
- ✓ Protected to IP56

Part no. 0-445-26

AMBER LENS LED BEACON



Approved



- ✓ 10-30V
- ✓ 3 Flash patterns
- ✓ Protected IP65

Part no. 0-445-27

AMBER JUMBO LED BEACON



Approved



- ✓ 10-30V
- ✓ 3-Bolt
- ✓ 15 Flash patterns
- ✓ Protected IP66

Part no. 0-445-95




DID YOU KNOW?

Durite high-quality beacons are R10 and/or R65 approved, offering the most versatile range of beacons. From wired to rechargeable, single bolt, 3-bolt, spigot and magnetic base, to suit all of your needs.

PREMIUM R65/R10 LED LIGHT BARS - 12/24V

- ✓ Up to 108 LEDs
- ✓ Waterproof IP65
- ✓ 19 Flash patterns
- ✓ E-Marked R10 EMC, R65 approved



4-bolt
Part no. 0-443-31

4-bolt
Part no. 0-443-32

4-bolt Part no. 0-443-34

1FT R65/R10 LED LIGHT BARS - 12/24V


- ✓ 36 LEDs
- ✓ 3 Flash patterns
- ✓ Protected to IP65
- ✓ E-Marked R10 EMC, R65 approved



Approved



MAGNETIC | Part no. 0-443-82



SINGLE BOLT | Part no. 0-443-81

R65 1FT AMBER LED LIGHT BARS - 12/24V

- ✓ 3 Flash patterns
- ✓ 20 LEDs, 3W
- ✓ E-Marked R65 approved



Magnetic
Part no. 0-443-65



Single bolt
Part no. 0-443-60

MINI AMBER LED LIGHT BARS

- ✓ 1ft (280mm)
- ✓ 10 Flash patterns, 24 LEDs
- ✓ Waterproof, IP65
- ✓ E-Marked R65, R10 EMC



SINGLE BOLT 90W | Part no. 0-443-01
MAGNETIC 90W | Part no. 0-443-02

- ✓ 0.75ft (260mm)
- ✓ 10 Flash patterns, 30 LEDs
- ✓ Waterproof, IP65
- ✓ E-Marked R65, R10 EMC



Approved



SINGLE BOLT 90W | Part no. 0-443-17
MAGNETIC 90W | Part no. 0-443-18



DID YOU KNOW?

Durite high-quality LED light bars are R10 and/or R65 approved, offering the most versatile range of LED light bars. Available in a range of sizes from 1ft-5ft, 1-bolt, 4-bolt or magnetic fitting.

WARNING LIGHTS

NEW LIGHTS

R65 LED AMBER WARNING LIGHT WITH WHITE SCENELIGHT - 12/24V

- ✓ 13 Flash patterns
- ✓ Protected to IP67
- ✓ E-Marked, R10 and R65 approved



L 170 x W 70.5 x H 81.5mm

Part no. 0-441-62

R65 LED AMBER WARNING LIGHT - 12/24V

- ✓ 10 Flash patterns
- ✓ Protected to IP67
- ✓ E-Marked

NEW



STOP TAIL | Part no. 0-441-55



DIRECTION INDICATOR | Part no. 0-441-56




SIDE MARKER | Part no. 0-441-57

R65 CLASS 2 LED WARNING LIGHT - 12/24V

- ✓ 19 Flash patterns
- ✓ Protected to IP69K
- ✓ Class 2
- ✓ E-Marked, R10 and R65 approved

NEW

R65 & SAE Class 2



Part no. 0-441-20

R65 LED AMBER HIGH INTENSITY WARNING LIGHTS - 12/24V

- ✓ 8 or 12 Flash patterns
- ✓ Protected to IP69K
- ✓ E-Marked, R10 and R65 approved

NEW

3-LED

Part no. 0-441-63



4-LED

Part no. 0-441-64



6-LED

Part no. 0-441-66



R65 MICRO LED WARNING LIGHT - 12/24V

- ✓ 36 Flash patterns
- ✓ Protected to IP67
- ✓ E-Marked, R10 and R65 approved

NEW



Ø 36 x H 31mm

Part no. 0-441-41

R10 AMBER WARNING LIGHT - 12/24V

- ✓ 6 Flash patterns
- ✓ Protected to IP67
- ✓ E-Marked R10

NEW



Part no. 0-442-29

R65 & R10 LED AMBER WARNING LIGHTS - 12/24V

- ✓ 19 Flash patterns
- ✓ Protected to IP67
- ✓ E-Marked, R10 and R65 approved

NEW

18-LED

Part no. 0-441-76



L 130 x W 55 x H 10mm

24-LED

Part no. 0-441-77



L 130 x W 65 x H 10mm

R10 LED HIGH INTENSITY WARNING LIGHTS - 12/24V

- ✓ 19 Flash patterns
- ✓ Protected to IP67
- ✓ E-Marked, R10

3 Red LEDs & 3 Amber LEDs

Part no. 0-441-65

L 112.6 x W 28.3 x H 12.6mm



3 Amber LEDs & 3 white LEDs

Part no. 0-441-67

L 112.6 x W 28.3 x H 12.6mm



DID YOU KNOW?

Durite high-quality warning lights are R10 EMC approved to ensure no interference with vehicle electrics and/or R65 recommended for the use of warning lights on the road. Having appropriate warning lights fitted to your vehicles will ensure that you are safe on the road.




GREAT VALUE R10 WARNING LIGHTS




Approved

- ✓ 19 Flash patterns
- ✓ Waterproof, protected IP67
- ✓ ECE, EMC, R10 approved



L 114 x W 43.4 x H 12.5mm
12-LED AMBER | Part no. 0-441-74




L 112.6 x W 28.3 x H 12.6mm



6-LED AMBER | Part no. 0-441-70

6-LED RED | Part no. 0-441-75



L 96.8 x W 28.3 x H 12.6mm




4-LED AMBER | Part no. 0-441-72

TOP OF THE RANGE R65 WARNING LIGHTS




Approved

- ✓ 20 Flash patterns
- ✓ Waterproof, protected IP68
- ✓ ECE R65 Class 1
- ✓ SAE Class 1 approved



L 133 x W 56.8 x H 12.6mm
12-LED AMBER | Part no. 0-441-10




L 113 x W 28.4 x H 9mm




6-LED AMBER | Part no. 0-441-00

6-LED BLUE | Part no. 0-441-02

6-LED RED | Part no. 0-441-05



L 75 x W 28.1 x H 10mm



3-LED AMBER | Part no. 0-441-30

3-LED BLUE | Part no. 0-441-32

3-LED RED | Part no. 0-441-35

LED RECHARGEABLE WARNING FLARES

- ✓ 16 SMD LEDs per unit
- ✓ Up to 60 hours burn time
- ✓ 9 Flash patterns
- ✓ Protected to IP67
- ✓ Strong magnetic base



Single Flare
Part no. 0-446-61

6 Flares
Part no. 0-446-60



LED WARNING LIGHT

- ✓ 10 Flash patterns
- ✓ 5W x 12 LEDs
- ✓ Protected to IP67
- ✓ E-Marked R10 & R65



12-LED AMBER | Part no. 0-441-12

REAR COMBINATION LAMPS

95MM LED REAR LAMPS

- ✓ Ø 95mm
- ✓ 12/24V
- ✓ Protected to IP67
- ✓ E-Marked

SINGLE FUNCTION

- 1 **STOP/TAIL** | Part no. 0-767-44
- 2 **INDICATOR** | Part no. 0-767-41
- 3 **REAR FOG** | Part no. 0-767-42
- 4 **REVERSE** | Part no. 0-767-43



5 THREE FUNCTION

STOP/TAIL/DIRECTION INDICATOR | Part no. 0-767-40

140MM LED REAR LAMPS

- ✓ Ø 140mm
- ✓ 12/24V
- ✓ Protected to IP67
- ✓ E-Marked

SINGLE FUNCTION

- 1 **STOP/TAIL** | Part no. 0-097-54
- 2 **INDICATOR** | Part no. 0-097-51
- 3 **REAR FOG** | Part no. 0-097-52
- 4 **REVERSE** | Part no. 0-097-53

THREE FUNCTION

- 5 **STOP/TAIL/DIRECTION INDICATOR** | Part no. 0-097-50

FIVE FUNCTION

- 6 **STOP/TAIL/DI/REVERSE/FOG** | Part no. 0-097-55



NEW RANGE

5-FUNCTION LED REAR LAMPS

- ✓ Stop/Tail/Direction Indicator/Reverse/Reflector
- ✓ Protected to IP67
- ✓ E-Marked R10 EMC

L 220 x W 100 x H 34.4 mm

UNIVERSAL | Part no. 0-071-55



Progressive indicator



Universal

6-FUNCTION LED REAR LAMPS

- ✓ Stop/Tail/Direction Indicator/Fog/Reverse/Reflector
- ✓ 12/24V
- ✓ Protected to IP67
- ✓ E-Marked R10 EMC

L 284 x W 100 x H 37 mm

RIGHT | Part no. 0-071-64

LEFT | Part no. 0-071-65



Progressive indicator

MARKER LAMPS

LED MARKER LAMPS - 12/24V

NEW

- ✓ SMD LEDs
- ✓ Protected to IP67
- ✓ L 114 x W 66 x H 8mm
- ✓ Supplied with ABS bracket
- ✓ E-Marked

WHITE FRONT | Part no. 0-170-80

RED REAR | Part no. 0-170-85


AMBER SIDE | Part no. 0-170-90



AMBER LED MARKER LAMP

- ✓ 12/24V
- ✓ ECE approved
- ✓ L 111 x W 22 x H 50mm

AMBER SIDE | Part no. 0-170-70



AMBER LED MARKER LAMP WITH LEADS

- ✓ 12/24V
- ✓ Protected to IP67
- ✓ L 121 x W 17 x H 44mm

AMBER SIDE | Part no. 0-171-60



ADR LED MARKER LAMPS - 12/24V

ADR

- ✓ SMD LEDs
- ✓ Protected to IP68
- ✓ L 126 x W 51 x H 26mm
- ✓ E-Marked, ADR approved

NEW

CLEAR FRONT | Part no. 0-169-00

RED REAR | Part no. 0-169-05

AMBER SIDE | Part no. 0-169-10



LED OBLIQUE OUTLINE MARKERS

- ✓ Front, side and rear
- ✓ Protected to IP67
- ✓ E-Marked

RIGHT SIDE | Part no. 0-172-85

LEFT SIDE | Part no. 0-172-86

NEW



L 175 x W 109 x H 89 mm

LED OUTLINE MARKER LAMP WITH PARKING SENSOR

- ✓ 12/24V
- ✓ Protected to IP68
- ✓ E-Marked

RIGHT SIDE | Part no. 0-172-80

LEFT SIDE | Part no. 0-172-81



12/24V 6-FUNCTION COMMERCIAL REAR LAMP

- ✓ Stop/Tail/DI/Fog/Reflector/NPL
- ✓ Protected to IP65
- ✓ E-Marked R10

NEW



RIGHT | Part no. 0-300-60
LEFT | Part no. 0-300-61

12/24V 6-FUNCTION COMMERCIAL REAR LAMP

- ✓ Stop/Tail/Progressive Direction Indicator/Fog/Reverse/Reflector
- ✓ Protected to IP67
- ✓ E-Marked



RIGHT | Part no. 0-071-60
LEFT | Part no. 0-071-61

12/24V 5-FUNCTION COMMERCIAL REAR LAMP

- ✓ Stop/Tail/Indicator/Number Plate/Reflector
- ✓ Protected to IP66
- ✓ E-Marked



UNIVERSAL | Part no. 0-294-80

12/24V UNIVERSAL LED REAR COMBINATION LAMP

- ✓ Stop/Tail/DI/Fog/Reverse/Reflector
- ✓ Protected to IP67
- ✓ E-Marked



UNIVERSAL | Part no. 0-071-10

12/24V 4-FUNCTION COMMERCIAL REAR LAMP

- ✓ Stop/Tail/DI/Reflector
- ✓ Protected to IP67
- ✓ E-Marked ECE approved



UNIVERSAL | Part no. 0-300-30

24V 6-FUNCTION REAR COMBINATION LAMP

- ✓ Stop/Tail/DI/Fog/Reverse/Reflector
- ✓ ECE approved



UNIVERSAL | Part no. 0-085-50

12/24V 5-FUNCTION TRAILER COMMERCIAL REAR LAMP

- ✓ Stop/Tail/DI/Number Plate/Reflector
- ✓ Suitable for trailers & vehicles
- ✓ E-Marked R10



NEW

RIGHT | Part no. 0-294-60
LEFT | Part no. 0-294-61

3-FUNCTION REAR COMBINATION LAMP

- ✓ Stop/Tail/Direction Indicator
- ✓ ECE & EEC approved



UNIVERSAL | Part no. 0-294-75

FORKLIFT LAMPS



DID YOU KNOW?

The purpose of the forklift warning lights is to draw out a safety zone between the forklift and the pedestrians and alert them to the forklifts are in operation.

RED LINE LAMP

- ✓ 10-80V
- ✓ 133 Lumens
- ✓ Protected to IP68



Part no. 0-420-85

BLUE LINE LAMP

- ✓ 10-80V
- ✓ 69 Lumens
- ✓ Protected to IP68
- ✓ OSRAM LED



Part no. 0-420-49

RED ARC LAMP


- ✓ 10-80V
- ✓ 'U' shape outline to cover 180° zone
- ✓ Protected to IP67



Part no. 0-420-42

BLUE ARC LAMP

- ✓ 10-80V
- ✓ 'U' shape outline to cover 180° zone
- ✓ Protected to IP67



Part no. 0-420-21

RED SPOT LAMP

- ✓ 10-60V
- ✓ 500 Lumens
- ✓ Protected to IP68



Part no. 0-420-83

BLUE SPOT LAMP


- ✓ 10-60V
- ✓ 1000 Lumens
- ✓ Protected to IP67



Part no. 0-420-75

RED ARROW LAMP

- ✓ 10-60V
- ✓ Light visible up to 15m away
- ✓ Protected to IP67
- ✓ E-Marked ECE R10 EMC



Part no. 0-420-14

BLUE ARROW LAMP

- ✓ 10-60V
- ✓ Light visible up to 15m away
- ✓ Protected to IP67
- ✓ E-Marked ECE R10 EMC



Part no. 0-420-84

INSPECTION LAMPS

10W DUAL COB LED HAND LAMP

- ✓ Up to 1000 Lumens
- ✓ 120° Beam angle
- ✓ Ultra slim design
- ✓ Up to 8 hours run time
- ✓ Protected to IP52 & IK08

NEW



Part no. 0-699-62

16W HEAVY-DUTY HAND LAMP

- ✓ Up to 2000 Lumens
- ✓ Folds & twists 360°
- ✓ Battery capacity indication
- ✓ Protected to IP54 & IK06



Part no. 0-699-63

2W MINI HAND LAMP

- ✓ 200 Lumens
- ✓ 360° swivel base
- ✓ Magnet and clip
- ✓ Protected to IP20 & IK07



Part no. 0-699-71

5W LED HAND LAMP WITH WIRELESS CHARGING PAD

- ✓ Up to 500 Lumens
- ✓ 120° Rotation
- ✓ Up to 10 hours run time
- ✓ Protected to IP68 & IK09

NEW



Part no. 0-699-40

3W LED HAND LAMP WITH WIRELESS CHARGING PAD

- ✓ Up to 300 Lumens
- ✓ 120° Beam angle
- ✓ Up to 10 hours run time
- ✓ Protected to IP68 & IK09

NEW



Part no. 0-699-41

2W MINI HAND LAMP

- ✓ 220 Lumens
- ✓ USB direct charging
- ✓ Magnet and swivel hook
- ✓ Protected to IP20



Part no. 0-699-74

7W POCKET SIZED HAND LAMP

- ✓ 700 Lumens
- ✓ 360° Swivel bracket
- ✓ COB LED
- ✓ 3 Light modes
- ✓ Protected to IP65 & IK07



Part no. 0-699-66

10W MAGNETIC STAND WORK LAMP

- ✓ 1000 Lumens
- ✓ USB output charging
- ✓ COB LED
- ✓ 2 Light modes
- ✓ Protected to IP65



Part no. 0-541-40

10W PORTABLE WORK LAMP

- ✓ 750 Lumens
- ✓ COB LED
- ✓ 2 Light modes
- ✓ USB output charging
- ✓ Protected to IP55



Part no. 0-541-35

7W RECHARGEABLE HAND LAMP

- ✓ 600 Lumens
- ✓ 360° Swivel base
- ✓ 5 Battery state LEDs
- ✓ Strong magnet and hook
- ✓ Protected to IP54



Part no. 0-699-86

5W FOLDABLE HAND LAMP

- ✓ 600 Lumens
- ✓ 120° folding design
- ✓ Magnet and hook
- ✓ Protected to IP54 & IK07



Part no. 0-699-72

3W RECHARGEABLE HAND LAMP

- ✓ 300 Lumens
- ✓ 180° Folding base
- ✓ COB LED
- ✓ LED charging indicator
- ✓ Magnet and metal hook
- ✓ Protected to IP44



Part no. 0-699-64

3W POCKET LAMP WITH TOP LIGHT

- ✓ 300 Lumens
- ✓ Telescopic body
- ✓ Strong magnet and hook
- ✓ Protected to IP20



Part no. 0-699-67

3W FLEXIBLE HAND LAMP

- ✓ 300 Lumens
- ✓ USB charging cable
- ✓ 2 Magnets and 2 hooks
- ✓ 2 Light output modes
- ✓ Protected to IP20



Part no. 0-699-68

2W MINI LED HEAD TORCH

- ✓ 200 Lumens
- ✓ Half & full power modes
- ✓ LED charge indicator
- ✓ Smart motion sensor
- ✓ Protected to IP54 & IK07



Part no. 0-699-61

15W HANDLE STAND WORK LAMP

- ✓ 900 Lumens
- ✓ Handled stand
- ✓ LED work light
- ✓ Protected to IP67



Part no. 0-541-20

ONE OF THE MOST VERSATILE LIGHTING RANGES ON THE MARKET

- ✓ Over 700 models available
- ✓ All Durite LED Lights are E-Marked & come with 3-yr warranty

www.durite.co.uk



INTERIOR LIGHTS

LINEAR LED BATTEN INTERIOR LIGHTS

- ✓ Ultra bright white SMD LEDs
- ✓ Protected to IP67
- ✓ 1ft, 2ft & 4ft
- ✓ E-Marked R10 approved

WITH SWITCH

1FT, 400LM | Part no. 0-668-21

2FT, 790LM | Part no. 0-668-22

4FT, 1200LM | Part no. 0-668-23

NO SWITCH


1FT, 400LM | Part no. 0-668-41

2FT, 790LM | Part no. 0-668-42

4FT, 1200LM | Part no. 0-668-43



On/Off switch



Linear SMD LEDs



L 380 x W 25 x H 13 mm



L 620 x W 25 x H 13 mm



L 1120 x W 25 x H 13 mm

GREAT VALUE LED LAMPS

- ✓ Protected to IP67
- ✓ Suitable for refrigerated vehicles
- ✓ E-Marked R10 EMC approved

12/24V ROOF LAMP

WITH PIR SWITCH | Part no. 0-668-92

195 Lm, L 160 x W 54 x D 12mm




12/24V 45° SCENE LIGHT

SCENE LIGHT | Part no. 0-668-53
580Lm, L 300 x W 60 x H 34mm

SCENE LIGHT | Part no. 0-668-51

WITH SWITCH | Part no. 0-668-52

150Lm, L 205 x W 60 x H 34mm



LED SCENE LIGHTS

- ✓ 6500K cool white LEDs
- ✓ 1W SMD LEDs
- ✓ Protected to IP68
- ✓ 40° Angle scene light
- ✓ E-Marked R10 EMC



9W LED scene light
10-30V | 40° | 725Lm
Part no. 0-668-55

L 129 x W 68 x H 46mm



18W LED scene light
10-30V | 40° | 1450Lm
Part no. 0-668-56

L 229 x W 68 x H 46mm



27W LED scene light
10-30V | 40° | 2175Lm
Part no. 0-668-57

L 329 x W 68 x H 46mm

12-LED DOWNLIGHTER - 12/24V

- ✓ 12 Warm white LEDs
- ✓ 6 Red LED night light
- ✓ Protected to IP66
- ✓ Ø 69 x D 9.6mm

Part no. 0-668-05



12-LED ROUND ROOF LAMP WITH PIR SWITCH

- ✓ 1400 Lumens
- ✓ Protected to IP66
- ✓ E-Marked R10 EMC
- ✓ Ø 160.2 x D 14.1mm

Part no. 0-668-18



ROOF LAMP WITH 120 LEDs

- ✓ 120 White LEDs
- ✓ 480 Lumens
- ✓ L 129 x W 77 x H 21mm

Part no. 0-668-14



ROOF LAMP WITH 120 LEDs

- ✓ 117 White LEDs
- ✓ 340 Lumens
- ✓ Integral rocker switch
- ✓ Ø 107 x D 23mm

Part no. 0-668-13



CIRCULAR INTERIOR LAMP

- ✓ 665 Lumens
- ✓ Ø 75 x D 8.7mm

Part no. 0-668-11



R10 ROOF LAMP WITH SWITCH

- ✓ 1200 Lumens
- ✓ Protected to IP67
- ✓ L 400 x W 25 x H 17mm
- ✓ E-Marked R10 EMC

Part no. 0-668-80

